

HUNAN ZHUOYAO TECHNOLOGY CO.,LTD

Jiahe Zhuoyao Electronic Business Firm

Add:Room 401-B109, Building 3, Xiangshan Standard Factory,
Fuyuan Road Nonferrous Metals Industrial Park, Bailutang Town,
Chenzhou city,Hunan province.

Cindy:greenbitor1988@gmail.com

Nancy:18390567823@163.com

Charlie:Charlie@buyertrustquality.com

<https://czzhuoyao.en.alibaba.com/>

<https://www.buyertrustquality.com/>

<https://www.aliexpress.com/store/1100544000>

Discounted pricing
FREE product samples
Expert connecting advice
Fast quoting
First access to NEW products



MQHQ[®]
Precise & Reliable

Solution Provider of Electrical Connectors and Cable Assemblies

CATALOGUE 2015



Production Capacity

Since 2015, our focus has been on manufacturing and refining our connector products for various applications, including medical equipment, testing and measurement devices, audio-video transmission, communication electronics, military, aerospace, industrial control, mechanical equipment, and automotive electronics. Our factory is mainly engaged in development, production and sales of circular, Pushpull connectors, wire and cable assemblies with stable and reliable quality and competitive prices.



R&D Capabilities

With a dynamic and passionate team, the company's founding team has more than ten years of experience in connector research and development, marketing, and promotion.

The company's founding team possesses over ten years of experience in connector research and development as well as marketing.

The company has advanced manufacturing equipment and excellent inspection tools, enabling us to offer customers complete project evaluation, cost estimation, mold design, product selection, sample creation, testing and verification, batch production, and other services. We provide customers with complete project evaluation, cost estimation, mold design, product selection, sample creation, testing, validation, batch production, and other services.

We offer customers complete project evaluation, cost estimation, mold design, product selection, sample creation, testing, validation, batch production, and other services and support.

We have established a perfect ISO9001 international quality certification system, ensuring our products comply with RoHS, REACH, and have received CE certification.

Our connector applications

Aerospace industry
Medical equipment
Detection & Measurement
Military Industrial Equipment
Nuclear industry equipment
Marine navigation



Design Patents & Certifications

Our company's independently developed products have all obtained design patents



Connector Accessories



M12-A-4M M12-D-4M LKK--M12E7-A4F LKK-M12F7-A4F LKK-M12H0-A4F

M12-A-8M M12-A-8F LKK-M12E7-A8F LKK-M12F7-X8F LKK-M12H0-D4F

M12-A-12M M12-A-12F LKK-M12F9-A12M M12-A-17F M12-A-17M

M12-X-8M DH40-27S-27P 2*5PIN Housing Industrial RJ45

Connector Accessories



HRS-10A-7P-6S HRS-2S-7TP-8S HRS-2S-7TP-8P HRS-10A-10TPA-12S

LKK-M8F6-A4M LKK-M8E0-A4F M8-A-6M Micro USB 3.0 Mini Cameralink 14P

Cameralink MDR Cameralink SDR SDRF straight SDRF Angled

Cameralink MDR F BNC M DIN 1.5/2.3 HDBNC

Cable assembly



Mechanical Keyboard



FGG PHG LEMOS Self-Locking Push pull Plug
USB Data Cable type-c
Customized Mechanical Keyboard Braided Cable



FGG LEMOS Self-Locking Push pull Plug
Data Cable type-c
Customized Mechanical Keyboard Braided Cable



PHG LEMOS Self-Locking Push pull Plug
USB Data Cable type-c
Customized Mechanical Keyboard Braided Cable



FGG PHG LEMOS Self-Locking Push pull Plug
Customized Mechanical Keyboard Braided USB Cable




FGG PHG LEMOS Self-Locking Push pull Plug
Customized Mechanical Keyboard Braided Cable




120w FAST CHARGING DATE CABLE


Cable Assembly




- | | |
|---|--------------------------|
| 1 | LKK-U3-AM-Micro B-S-01 |
| | LKK-U3-AM-Micro B-S-H-01 |
| 3 | LKK-U3-AM-Micro B-S-03 |
| | LKK-U3-AM-Micro B-S-H-03 |
| 5 | LKK-U3-AM-Micro B-S-05 |
| | LKK-U3-AM-Micro B-S-H-05 |




- | | |
|---|--------------------------|
| 1 | LKK-U3-AM-Micro B-S-U-01 |
| 3 | LKK-U3-AM-Micro B-S-U-03 |
| 5 | LKK-U3-AM-Micro B-S-U-05 |




- | | |
|---|---------------|
| 1 | LKK-USB3.1-01 |
| 3 | LKK-USB3.1-03 |
| 5 | LKK-USB3.1-05 |




- | | |
|---|--------------------------|
| 1 | LKK-U3-AM-R-Micro B-L-01 |
| 3 | LKK-U3-AM-R-Micro B-L-03 |
| 5 | LKK-U3-AM-R-Micro B-L-05 |



- | | |
|---|-----------------|
| 1 | LKK-U3-AM-BM-01 |
| 3 | LKK-U3-AM-BM-03 |
| 5 | LKK-U3-AM-BM-05 |




- | | |
|----|--------------------------|
| 3 | LKK-CL-S-MDR-MDR-03 |
| | LKK-CL-S-MDR-MDR-PoCL-03 |
| 5 | LKK-CL-S-MDR-MDR-05 |
| | LKK-CL-S-MDR-MDR-PoCL-05 |
| 7 | LKK-CL-S-MDR-MDR-07 |
| | LKK-CL-S-MDR-MDR-PoCL-07 |
| 10 | LKK-CL-S-MDR-MDR-10 |
| | LKK-CL-S-MDR-MDR-PoCL-10 |




- | | |
|----|--------------------------|
| 3 | LKK-CL-S-MDR-SDR-03 |
| | LKK-CL-S-MDR-SDR-PoCL-03 |
| 5 | LKK-CL-S-MDR-SDR-05 |
| | LKK-CL-S-MDR-SDR-PoCL-05 |
| 7 | LKK-CL-S-MDR-SDR-07 |
| | LKK-CL-S-MDR-SDR-PoCL-07 |
| 10 | LKK-CL-S-MDR-SDR-10 |
| | LKK-CL-S-MDR-SDR-PoCL-10 |


Cable Assembly




- | | |
|----|--------------------------|
| 3 | LKK-CL-S-SDR-SDR-03 |
| | LKK-CL-S-SDR-SDR-PoCL-03 |
| 5 | LKK-CL-S-SDR-SDR-05 |
| | LKK-CL-S-SDR-SDR-PoCL-05 |
| 7 | LKK-CL-S-SDR-SDR-07 |
| | LKK-CL-S-SDR-SDR-PoCL-07 |
| 10 | LKK-CL-S-SDR-SDR-10 |
| | LKK-CL-S-SDR-SDR-PoCL-10 |




- | | |
|----|----------------------------|
| 3 | LKK-CL-S-SDR-SDR-D-03 |
| | LKK-CL-S-SDR-SDR-PoCL-D-03 |
| 5 | LKK-CL-S-SDR-SDR-D-05 |
| | LKK-CL-S-SDR-SDR-PoCL-D-05 |
| 7 | LKK-CL-S-SDR-SDR-D-07 |
| | LKK-CL-S-SDR-SDR-PoCL-D-07 |
| 10 | LKK-CL-S-SDR-SDR-D-10 |
| | LKK-CL-S-SDR-SDR-PoCL-D-10 |




- | | |
|----|----------------------------|
| 3 | LKK-CL-S-SDR-SDR-L-03 |
| | LKK-CL-S-SDR-SDR-PoCL-L-03 |
| 5 | LKK-CL-S-SDR-SDR-L-05 |
| | LKK-CL-S-SDR-SDR-PoCL-L-05 |
| 7 | LKK-CL-S-SDR-SDR-L-07 |
| | LKK-CL-S-SDR-SDR-PoCL-L-07 |
| 10 | LKK-CL-S-SDR-SDR-L-10 |
| | LKK-CL-S-SDR-SDR-PoCL-L-10 |




- | | |
|----|------------------------|
| 3 | LKK-CXP-HDBNC-DIN-H-03 |
| 5 | LKK-CXP-HDBNC-DIN-H-05 |
| 7 | LKK-CXP-HDBNC-DIN-H-07 |
| 10 | LKK-CXP-HDBNC-DIN-H-10 |



- | | |
|----|-----------------------|
| 3 | LKK-CXP-DIN-AG-BNC-03 |
| 5 | LKK-CXP-DIN-AG-BNC-05 |
| 7 | LKK-CXP-DIN-AG-BNC-07 |
| 10 | LKK-CXP-DIN-AG-BNC-10 |















- | | |
|----|--------------------|
| 3 | LKK-CXP-DIN-DIN-03 |
| 5 | LKK-CXP-DIN-DIN-05 |
| 7 | LKK-CXP-DIN-DIN-07 |
| 10 | LKK-CXP-DIN-DIN-10 |





























- | | |
|----|--------------------------|
| 3 | LKK-CXP-HDBNC-HDBNC-H-03 |
| 5 | LKK-CXP-HDBNC-HDBNC-H-05 |
| 7 | LKK-CXP-HDBNC-HDBNC-H-07 |
| 10 | LKK-CXP-HDBNC-HDBNC-H-10 |


Cable Assembly

		3	LKK-IO-6PF-D-03
		5	LKK-IO-6PF-D-05
		7	LKK-IO-6PF-D-07
		10	LKK-IO-6PF-D-10
		3	LKK-IO-10P-Nano-03
		5	LKK-IO-10P-Nano-05
		7	LKK-IO-10P-Nano-07
		10	LKK-IO-10P-Nano-10
		3	LKK-IO-12PF-03
		5	LKK-IO-12PF-05
		7	LKK-IO-12PF-07
		10	LKK-IO-12PF-10
		3	LKK-IO-12PF-D-03
		5	LKK-IO-12PF-D-05
		7	LKK-IO-12PF-D-07
		10	LKK-IO-12PF-D-10
		Support 360° customization	
		3	LKK-IO-8PF-03
		5	LKK-IO-8PF-05
		7	LKK-IO-8PF-07
		10	LKK-IO-8PF-10
		3	LKK-IO-8PM-03
		5	LKK-IO-8PM-05
		7	LKK-IO-8PM-07
		10	LKK-IO-8PM-10


Cable Assembly

		3	LKK-GE-S-RJ45-RJ45-03
		5	LKK-GE-S-RJ45-RJ45-05
		10	LKK-GE-S-RJ45-RJ45-10
		15	LKK-GE-S-RJ45-RJ45-15
		20	LKK-GE-S-RJ45-RJ45-20
		3	LKK-GE-S-RJ45-RJ45-H-03
		5	LKK-GE-S-RJ45-RJ45-H-05
		10	LKK-GE-S-RJ45-RJ45-H-10
		15	LKK-GE-S-RJ45-RJ45-H-15
		20	LKK-GE-S-RJ45-RJ45-H-20
		3	LKK-GE-S-RJ45-U-RJ45-03
		5	LKK-GE-S-RJ45-U-RJ45-05
		10	LKK-GE-S-RJ45-U-RJ45-10
		15	LKK-GE-S-RJ45-U-RJ45-15
		20	LKK-GE-S-RJ45-U-RJ45-20
		3	LKK-GE-S-RJ45-U-RJ45-H-03
		5	LKK-GE-S-RJ45-U-RJ45-H-05
		10	LKK-GE-S-RJ45-U-RJ45-H-10
		15	LKK-GE-S-RJ45-U-RJ45-H-15
		20	LKK-GE-S-RJ45-U-RJ45-H-20
		3	LKK-GE-RJ45-RJ45-03
		5	LKK-GE-RJ45-RJ45-05
		10	LKK-GE-RJ45-RJ45-10
		15	LKK-GE-RJ45-RJ45-15
		20	LKK-GE-RJ45-RJ45-20
		3	LKK-GE-RJ45-RJ45-H-03
		5	LKK-GE-RJ45-RJ45-H-05
		10	LKK-GE-RJ45-RJ45-H-10
		15	LKK-GE-RJ45-RJ45-H-15
		20	LKK-GE-RJ45-RJ45-H-20
		3	LKK-GE-RJ45-L-RJ45-03
		5	LKK-GE-RJ45-L-RJ45-05
		10	LKK-GE-RJ45-L-RJ45-10
		15	LKK-GE-RJ45-L-RJ45-15
		20	LKK-GE-RJ45-L-RJ45-20
		3	LKK-GE-RJ45-L-RJ45-H-03
		5	LKK-GE-RJ45-L-RJ45-H-05
		10	LKK-GE-RJ45-L-RJ45-H-10
		15	LKK-GE-RJ45-L-RJ45-H-15
		20	LKK-GE-RJ45-L-RJ45-H-20
		3	LKK-IO-6PF-03
		5	LKK-IO-6PF-H-03
		7	LKK-IO-6PF-H-07
		10	LKK-IO-6PF-H-10

Cable Assembly




M12 5F




3	LKK-IO-M12 A 5F-D-03
5	LKK-IO-M12 A 5F-D-05
10	LKK-IO-M12 A 5F-D-10


Support 360° customization




M12 5M



3	LKK-IO-M12 A 5M-03
5	LKK-IO-M12 A 5M-05
10	LKK-IO-M12 A 5M-10




M12 5M




3	LKK-IO-M12 A 5M-D-03
5	LKK-IO-M12 A 5M-D-05
10	LKK-IO-M12 A 5M-D-10


Support 360° customization




M12 8F




3	LKK-IO-M12 A 8F-03
5	LKK-IO-M12 A 8F-05
10	LKK-IO-M12 A 8F-10




M12 8M



5	LKK-84901-2001-05
10	LKK-84901-2001-10
15	LKK-84901-2001-15
20	LKK-84901-2001-20




M12 8F




5	LKK-84901-0102-05
10	LKK-84901-0102-10
15	LKK-84901-0102-15
20	LKK-84901-0102-20


Cable Assembly




M12 4M




3	LKK-ETH-M12 4M-RJ45-03
5	LKK-ETH-M12 4M-RJ45-05
10	LKK-ETH-M12 4M-RJ45-10




RJ45




3	LKK-ETH-RJ45-RJ45-03
5	LKK-ETH-RJ45-RJ45-05
10	LKK-ETH-RJ45-RJ45-10




M12 4M



3	LKK-ETH-M12 4M-4M-03
5	LKK-ETH-M12 4M-4M-05
10	LKK-ETH-M12 4M-4M-10




M12 4M




3	LKK-ETH-M12 4M-RJ45-D-03
5	LKK-ETH-M12 4M-RJ45-D-05
10	LKK-ETH-M12 4M-RJ45-D-10


Support 360° customization




RJ45



3	LKK-ETH-RJ45-RJ45-03
5	LKK-ETH-RJ45-RJ45-05
10	LKK-ETH-RJ45-RJ45-10



M12 5F



3	LKK-IO-M12 A 5F-03
5	LKK-IO-M12 A 5F-05
10	LKK-IO-M12 A 5F-10

EV CHARGER ADAPTER (US Standard)



ST-E001

Type 1 to Tesla
Max 80A 240V



ST-E002

Type 1 to Tesla
Max 80A 240V



ST-E003

Tesla to Type 1
Max 60A 110-240V



ST-E004

Type 1 to GB/T Adapter
Max 32A 110-240V



ST-E005

Type 1 to Type 2 Adapter
Max 32A 110-240V



ST-E006

Type 1 to GB/T Adapter
Max 32A 110-240V



ELECTRICAL CHARACTERISTICS

- Rated current: 15A-80A
- Contact Resistance: 0.5mΩ Max
- Terminal temperature rise: <50K
- Mechanical Life: No-load Plug > 10000times
- Rated voltage: 110V-240V
- Insulation resistance: > 100MΩ
- Withstand voltage: 2000V
- Input Frequency: 50~60Hz

SAFETY

- Operating temperature: -30°C - +50°C
- IP Grade: IP 55
- Fire Rating: UL94V-0

EV CHARGER ADAPTER (European Standard)



ST-E050

Type 2 to Type 1 Adapter
Max 32A 240V



ST-E051

Type 2 to Type 2 Adapter
Max 32A 110-240V



ST-E052

Type 2 to GB/T Adapter
Max 32A 110-240V



ST-E052-3P

Type 2 to GB/T Adapter
Max 32A 480V



ST-E053

Type 2 to GB/T Adapter
Max 32A 480V



ELECTRICAL CHARACTERISTICS

- Contact Resistance: 0.5mΩ Max
- Mechanical Life: No-load Plug > 10000times
- Insulation resistance: > 100MΩ
- Withstand voltage: 2000V
- Input Frequency: 50~60Hz

SAFETY

- Operating temperature: -30°C - +50°C
- Fire Rating: UL94V-0
- IP Grade: IP 55

ST-E007 CCS1 to TESLA Adapter



ELECTRICAL CHARACTERISTICS

- Rated current: 150-400A
- Rated voltage: 500-1000V
- Power: 250kW
- Contact Resistance: 0.5mΩ Max
- Mechanical Life: No-load Plug > 10000times
- Insulation resistance: > 10MΩ
- Withstand voltage: 2000V
- Input Frequency: 50~60Hz

SAFETY

- Operating temperature: -30°C - +50°C
- Coupled insertion force: 45N < F < 80N
- Fire Rating: UL94V-0
- IP Grade: IP 55

ST-E054 CCS2 to TESLA Adapter



Test Equipment



加重弯折测试机 Increased bending tester



拖链测试机 Drag chain tester



FLUKE 测试仪 FLUKE tester



XRF 有害物质检测仪 XRF hazardous substance detector



加热变型机 Heating variant machine



拉力测试仪 Tensile testing machine



扭编织机 Twisted knitting machine



扭转测试机 Torsion tester



拖链测试机 Drag chain tester



生产车间 Production workshop



生产车间 Production workshop



生产车间 Production workshop



老化机 Aging machine



恒温恒湿测试机 Constant temperature and humidity tes



Solution Provider of Electrical Connectors and Cable Assemblies

CATALOGUE 2015



Discounted pricing
FREE product samples
Expert connecting advice
Fast quoting
First access to NEW products

HUNAN ZHUOYAO TECHNOLOGY CO.,LTD

Add:Room 401-B109, Building 3, Xiangshan Standard Factory,
Fuyuan Road Nonferrous Metals Industrial Park, Bailutang Town,
Chenzhou city,Hunan province.

Email:charlie@buyertrustquality.com
Whatsapp&mobile:086-18390567823
Website:www.buyertrustquality.com